Contents to volume 288

Review Letter

Novel structurally distinct family of leucocyte surface glycoproteins including CD9, CD37, CD53 and CD63 (FEBS 10032) *V. Hořejší, Čestmír Vlček* 1

Research Letters

Activation of the PKC-isotypes α, β_1, γ, δ and ε by phorbol esters of different biological activities (FEBS 10026) *W.J. Ryves, A.T. Evans, A.R. Olivier, P.J. Parker, F.J. Evans* 5

Effects of a Ca^{2+} gradient and water activity on the phosphorylation of Ca^{2+}-ATPase by P_i (FEBS 10029) *M.T. Caldeira, L. de Meis* 10

Adipogenesis inhibitory factor: A novel inhibitory regulator of adipose conversion in bone marrow (FEBS 10027) *J. Ohsumi, K. Miyadai, I. Kawashima, H. Ishikawa-Ohsumi, S. Sakakibara, K. Mita-Honjo, Y. Takiguchi* 13

The chloride channel blocker 5-nitro-2-(3-phenylpropyl-amino) benzoic acid (NPPB) uncouples mitochondria and increases the proton permeability of the plasma membrane in phagocytic cells (FEBS 10028) *G.L. Lukacs, A. Nanda, O.D. Rotstein, S. Grinstein* 17

Thyroid hormone increases glyceraldehyde 3-phosphate dehydrogenase gene expression in rat liver (FEBS 10030) *G.C. Ness, L.C. Pendleton* 21

Ribonuclease activity and substrate preference of human eosinophil cationic protein (ECP) (FEBS 10033) *S. Sorrentino, D.G. Glitz* 23

Interaction with the inositol 1,4,5-trisphosphate receptor promotes Ca^{2+} sequestration in permeabilised insulin-secreting cells (FEBS 10034) *M.S. Islam, T. Nilsson, P. Rorsman, P.-O. Berggren* 27

Enhanced cellular uptake of biotinylated antisense oligonucleotide or peptide mediated by avidin, a cationic protein (FEBS 10035) *W.M. Pardridge, R.J. Boado* 30

Lipoprotein lipases and vitellogenins in relation to the known three-dimensional structure of pancreatic lipase (FEBS 10036) *B. Persson, H. Jörnvall, T. Olivecrona, G. Bengtsson-Olivecrona* 33

Protein kinase C of a human megakaryoblastic leukemic cell line (MEG-01): Analysis of subspecies and activation by diacylglycerol and free fatty acids (FEBS 10037) *Y. Kitagawa, Y. Matsuo, J. Minowada, Y. Nishizuka* 37

Purification and characterization of the α-tocopherol transfer protein from rat liver (FEBS 10038) *Y. Sato, K. Hagiwara, H. Arai, K. Inoue* 41

Suppression by staurosporine of Ca^{2+}-mobilization triggered by ligation of antigen-specific receptors on T and B lymphocytes: An essential role of protein tyrosine kinase in the signal transduction (FEBS 10039) *Y. Yamashita, H. Hasegawa-Sasaki, T. Sasaki* 46

Developmental expression of G proteins that differentially modulate adenylyl cyclase activity in mouse brain (FEBS 10040) *R.A. Rius, R.A. Streaty, Y. Peng Loh, W.A. Klee* 51

Heterogeneity in the *Xenopus* ribosomal transcription factor xUBF has a molecular basis distinct from that in mammals (FEBS 10041) *D. Bachvarov, M. Normandeau, T. Moss* 55

Identification of a 42 kDa protein as a substrate of protein phosphatase 1 in cilia from *Paramecium* (FEBS 10042) *S. Klumpp, J.E. Schultz* 60

Inhibition of cell growth and tumorigenesis of human glioblastoma cells by a neutralizing antibody against human basic fibroblast growth factor (FEBS 10043) *J.A. Takahashi, M. Fukumoto, Y. Kozai, N. Ito, Y. Oda, H. Kikuchi, M. Hatanaka* 65

Expression and functional assembly into bacterial ribosomes of a nuclear-encoded chloroplast ribosomal protein with a long NH_2-terminal extension (FEBS 10044) *K. Giese, A.R. Subramanian* 72

A 64 kDa protein from *Mycobacterium bovis* BCG shares the same antigenic determinants with line 10 hepatoma cells and has anti-line 10 tumor activity (FEBS 10049) *C.R. Ahsan, J. Sasaki* 77

Stimulation of DNA synthesis in Jurkat cells by synergistic action between adenine and guanine nucleotides (FEBS 10048) *Y. Tokumitsu, Y. Yanagawa, Y. Nomura* 81

Acquisition of thermotolerance in *Saccharomyces cerevisiae* without heat shock protein hsp104 and in the absence of protein synthesis (FEBS 10047) *C. De Virgilio, P. Piper, T. Boller, A. Wiemken* 86

A rat gene encoding heart 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (FEBS 10046) *M.I. Darville, M. Chikri, E. Lebeau, L. Hue, G.G. Rousseau* 91

Immunochemical identification of branched-chain 2-oxo acid dehydrogenase kinase (FEBS 10052) *Y. Shimomura, N. Nanaumi, M. Suzuki, R.A. Harris* 95

Molecular cloning, nucleotide sequence and expression of the *tufB* gene encoding elongation factor Tu from *Thermus thermophilus* HB8 (FEBS 10053) *M. Satoh, T. Tanaka, A. Kushiro, T. Hakoshima, K. Tomita* 98

The lac repressor and its N-terminal headpiece can bind a mini-operator containing a hairpin loop made of a hexaethylene glycol chain (FEBS 10054) *J.C. Maurizot, K. Chevrie, M. Durand, N.T. Thuong* 101

Melatonin binding proteins identified in the rat brain by affinity labeling (FEBS 10055) *M. Laudon, N. Zisapel* 105

Probing the secondary quinone (Q_B) environment in photosynthetic bacterial reaction centers by light-induced FTIR difference spectroscopy (FEBS 10056) *J. Breton, C. Berthomieu, D.L. Thibodeau, E. Nabedryk* 109

Nucleotide sequence of the *secY* gene from *Lactococcus lactis* and identification of conserved regions by comparison of four SecY proteins (FEBS 10059) *T. Koivula, I. Palva, H. Hemilä* 114

Supramolecular structure of the recombinant murine small heat shock protein hsp25 (FEBS 10051) *J. Behlke, G. Lutsch, M. Gaestel, H. Bielka* 119

cDNA cloning and expression of a hamster α-thrombin receptor coupled to Ca^2 mobilization (FEBS 10062) *U.B. Rasmussen, V. Vouret-Craviari, S. Jallat, Y. Schlesinger, G. Pagès, A. Pavirani, J.-P. Lecocq, J. Pouysségur, E. Van Obberghen-Schilling* 123

The phospholipid analogue hexadecylphosphocholine inhibits phosphatidylcholine biosynthesis in Madin–Darby canine kidney cells (FEBS 10063) *R. Haase, T. Wieder, C.C. Geilen, W. Reutter* 129

The dynamics of the expression of C/EBP mRNA in the adult rat liver lobulus qualifies it as a pericentral mRNA (FEBS 10064) *A.F.M. Moorman, M.J.B. van den Hoff, P.A.J. de Boer, R. Charles, W.H. Lamers* 133

A novel strategy for converting recombinant viral protein into high immunogenic antigen (FEBS 10067) *S. Hinuma, M. Hazama, A. Mayumi, Y. Fujisawa* 138

Guanosine nucleotides modulate the inhibitory effect of Brefeldin A on protein secretion (FEBS 10096) *S. Zeuzem, P. Zimmermann and I. Schulz* 143

A PAF-acetylhydrolase activity in *Tetrahymena pyriformis* cells (FEBS 10066) *A.D. Tselepis, M.E. Lekka, D. Tsoukatos* 147

Chemical detection of natural peptides by specific structures: Isolation of chicken galanin by monitoring for its N-terminal

Published by Elsevier Science Publishers B.V.

Contents to volume 288

Review Letter

Novel structurally distinct family of leucocyte surface glycoproteins including CD9, CD37, CD53 and CD63 (FEBS 10032) *V. Hořejší, Čestmír Vlček* 1

Research Letters

Activation of the PKC-isotypes α, β_1, γ, δ and ε by phorbol esters of different biological activities (FEBS 10026) *W.J. Ryves, A.T. Evans, A.R. Olivier, P.J. Parker, F.J. Evans* 5

Effects of a Ca^{2+} gradient and water activity on the phosphorylation of Ca^{2+}-ATPase by P_i (FEBS 10029) *M.T. Caldeira, L. de Meis* 10

Adipogenesis inhibitory factor: A novel inhibitory regulator of adipose conversion in bone marrow (FEBS 10027) *J. Ohsumi, K. Miyadai, I. Kawashima, H. Ishikawa-Ohsumi, S. Sakakibara, K. Mita-Honjo, Y. Takiguchi* 13

The chloride channel blocker 5-nitro-2-(3-phenylpropyl-amino) benzoic acid (NPPB) uncouples mitochondria and increases the proton permeability of the plasma membrane in phagocytic cells (FEBS 10028) *G.L. Lukacs, A. Nanda, O.D. Rotstein, S. Grinstein* 17

Thyroid hormone increases glyceraldehyde 3-phosphate dehydrogenase gene expression in rat liver (FEBS 10030) *G.C. Ness, L.C. Pendleton* 21

Ribonuclease activity and substrate preference of human eosinophil cationic protein (ECP) (FEBS 10033) *S. Sorrentino, D.G. Glitz* 23

Interaction with the inositol 1,4,5-trisphosphate receptor promotes Ca^{2+} sequestration in permeabilised insulin-secreting cells (FEBS 10034) *M.S. Islam, T. Nilsson, P. Rorsman, P.-O. Berggren* 27

Enhanced cellular uptake of biotinylated antisense oligonucleotide or peptide mediated by avidin, a cationic protein (FEBS 10035) *W.M. Pardridge, R.J. Boado* 30

Lipoprotein lipases and vitellogenins in relation to the known three-dimensional structure of pancreatic lipase (FEBS 10036) *B. Persson, H. Jörnvall, T. Olivecrona, G. Bengtsson-Olivecrona* 33

Protein kinase C of a human megakaryoblastic leukemic cell line (MEG-01): Analysis of subspecies and activation by diacylglycerol and free fatty acids (FEBS 10037) *Y. Kitagawa, Y. Matsuo, J. Minowada, Y. Nishizuka* 37

Purification and characterization of the α-tocopherol transfer protein from rat liver (FEBS 10038) *Y. Sato, K. Hagiwara, H. Arai, K. Inoue* 41

Suppression by staurosporine of Ca^{2+}-mobilization triggered by ligation of antigen-specific receptors on T and B lymphocytes: An essential role of protein tyrosine kinase in the signal transduction (FEBS 10039) *Y. Yamashita, H. Hasegawa-Sasaki, T. Sasaki* 46

Developmental expression of G proteins that differentially modulate adenylyl cyclase activity in mouse brain (FEBS 10040) *R.A. Rius, R.A. Streaty, Y. Peng Loh, W.A. Klee* 51

Heterogeneity in the *Xenopus* ribosomal transcription factor xUBF has a molecular basis distinct from that in mammals (FEBS 10041) *D. Bachvarov, M. Normandeau, T. Moss* 55

Identification of a 42 kDa protein as a substrate of protein phosphatase 1 in cilia from *Paramecium* (FEBS 10042) *S. Klumpp, J.E. Schultz* 60

Inhibition of cell growth and tumorigenesis of human glioblastoma cells by a neutralizing antibody against human basic fibroblast growth factor (FEBS 10043) *J.A. Takahashi, M. Fukumoto, Y. Kozai, N. Ito, Y. Oda, H. Kikuchi, M. Hatanaka* 65

Expression and functional assembly into bacterial ribosomes of a nuclear-encoded chloroplast ribosomal protein with a long NH_2-terminal extension (FEBS 10044) *K. Giese, A.R. Subramanian* 72

A 64 kDa protein from *Mycobacterium bovis* BCG shares the same antigenic determinants with line 10 hepatoma cells and has anti-line 10 tumor activity (FEBS 10049) *C.R. Ahsan, J. Sasaki* 77

Stimulation of DNA synthesis in Jurkat cells by synergistic action between adenine and guanine nucleotides (FEBS 10048) *Y. Tokumitsu, Y. Yanagawa, Y. Nomura* 81

Acquisition of thermotolerance in *Saccharomyces cerevisiae* without heat shock protein hsp104 and in the absence of protein synthesis (FEBS 10047) *C. De Virgilio, P. Piper, T. Boller, A. Wiemken* 86

A rat gene encoding heart 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase (FEBS 10046) *M.I. Darville, M. Chikri, E. Lebeau, L. Hue, G.G. Rousseau* 91

Immunochemical identification of branched-chain 2-oxo acid dehydrogenase kinase (FEBS 10052) *Y. Shimomura, N. Nanaumi, M. Suzuki, R.A. Harris* 95

Molecular cloning, nucleotide sequence and expression of the *tufB* gene encoding elongation factor Tu from *Thermus thermophilus* HB8 (FEBS 10053) *M. Satoh, T. Tanaka, A. Kushiro, T. Hakoshima, K. Tomita* 98

The lac repressor and its N-terminal headpiece can bind a mini-operator containing a hairpin loop made of a hexaethylene glycol chain (FEBS 10054) *J.C. Maurizot, K. Chevrie, M. Durand, N.T. Thuong* 101

Melatonin binding proteins identified in the rat brain by affinity labeling (FEBS 10055) *M. Laudon, N. Zisapel* 105

Probing the secondary quinone (Q_B) environment in photosynthetic bacterial reaction centers by light-induced FTIR difference spectroscopy (FEBS 10056) *J. Breton, C. Berthomieu, D.L. Thibodeau, E. Nabedryk* 109

Nucleotide sequence of the *secY* gene from *Lactococcus lactis* and identification of conserved regions by comparison of four SecY proteins (FEBS 10059) *T. Koivula, I. Palva, H. Hemilä* 114

Supramolecular structure of the recombinant murine small heat shock protein hsp25 (FEBS 10051) *J. Behlke, G. Lutsch, M. Gaestel, H. Bielka* 119

cDNA cloning and expression of a hamster α-thrombin receptor coupled to Ca^2 mobilization (FEBS 10062) *U.B. Rasmussen, V. Vouret-Craviari, S. Jallat, Y. Schlesinger, G. Pagès, A. Pavirani, J.-P. Lecocq, J. Pouysségur, E. Van Obberghen-Schilling* 123

The phospholipid analogue hexadecylphosphocholine inhibits phosphatidylcholine biosynthesis in Madin–Darby canine kidney cells (FEBS 10063) *R. Haase, T. Wieder, C.C. Geilen, W. Reutter* 129

The dynamics of the expression of C/EBP mRNA in the adult rat liver lobulus qualifies it as a pericentral mRNA (FEBS 10064) *A.F.M. Moorman, M.J.B. van den Hoff, P.A.J. de Boer, R. Charles, W.H. Lamers* 133

A novel strategy for converting recombinant viral protein into high immunogenic antigen (FEBS 10067) *S. Hinuma, M. Hazama, A. Mayumi, Y. Fujisawa* 138

Guanosine nucleotides modulate the inhibitory effect of Brefeldin A on protein secretion (FEBS 10096) *S. Zeuzem, P. Zimmermann and I. Schulz* 143

A PAF-acetylhydrolase activity in *Tetrahymena pyriformis* cells (FEBS 10066) *A.D. Tselepis, M.E. Lekka, D. Tsoukatos* 147

Chemical detection of natural peptides by specific structures: Isolation of chicken galanin by monitoring for its N-terminal

Published by Elsevier Science Publishers B.V.

dipeptide, and determination of the amino acid sequence (FEBS 10061) *Å. Norberg, R. Sillard, M. Carlquist, H. Jörnvall, V. Mutt* 151

Haem O can replace haem A in the active site of cytochrome *c* oxidase from thermophilic bacterium PS3 (FEBS 10069) *N. Sone, Y. Fujiwara* 154

The amino acid sequence of rusticyanin isolated from *Thiobacillus ferrooxidans* (FEBS 10071) *T. Yano, Y. Fukumori, T. Yamanaka* 159

Shaw-like rat brain potassium channel cDNA's with divergent 3' ends (FEBS 10070) *C. Luneau, R. Wiedmann, J.S. Smith, J.B. Williams* 163

Genomic structure of human lysosomal glycosylasparaginase (FEBS 10072) *H. Park, K.J. Fisher, N.N. Aronson Jr.* 168

Deletion of exon 8 causes glycosylasparaginase deficiency in an African American aspartylglucosaminuria (AGU) patient (FEBS 10073) *K.J. Fisher, N.N. Aronson Jr.* 173

H/e^- stoichiometry of mitochondrial cytochrome complexes reconstituted in liposomes: Rate-dependent changes of the stoichiometry in the cytochrome *c* oxidase vesicles (FEBS 10085) *N. Capitanio, G. Capitanio, E. De Nitto, G. Villani, S. Papa* 179

The cytochrome chain of mitochondria exhibits variable H/e^- stoichiometry (FEBS 10086) *S. Papa, N. Capitanio, G. Capitanio, E. De Nitto, M. Minuto* 183

Brain nitric oxide synthase is a biopterin- and flavin-containing multi-functional oxido-reductase (FEBS 10045) *B. Mayer, M. John, B. Heinzel, E.R. Werner, H. Wachter, G. Schultz, E. Böhme* 187

Occurrence of bifurcated three-center hydrogen bonds in proteins (FEBS 10050) *R. Preißner, U. Egner, W. Saenger* 192

Internal deletions of amino acids 29–42 of human interleukin-6 (IL-6) differentially affect bioactivity and folding (FEBS 10057) *R. Arcone, V. Fontaine, I. Coto, J. Content, G. Ciliberto* 197

Putative papain-related thiol proteases of positive-strand RNA viruses: Identification of rubi- and aphthovirus proteases and delineation of a novel conserved domain associated with proteases of rubi-, α- and coronaviruses (FEBS 10058) *A.E. Gorbalenya, E.V. Koonin, M.M. -C. Lai* 201

Multisite serine phosphorylation of the insulin and IGF-I receptors in transfected cells (FEBS 10060) *T.S. Pillay, J. Whittaker, R. Lammers, A. Ullrich, K. Siddle* 206

Pentasialogangliosides of human brain (FEBS 10075) *H. Miller-Podraza, J.-E. Månsson, L. Svennerholm* 212

Inhibition of 5S RNA transcription in vitro by nucleosome cores with low or high levels of histone acetylation (FEBS 10074) *M. Roberge, T.E. O'Neill, E.M. Bradbury* 215

6-Hydroxymellein synthetase as a multifunctional enzyme complex in elicitor-treated carrot root extract (FEBS 10076) *F. Kurosaki, M. Itoh, M. Yamada, A. Nishi* 219

Differences between embryonic and adult Torpedo acetylcholine receptor γ subunit (FEBS 10080) *M.C. Souroujon, S. Carmon, A. Safran, S. Fuchs* 222

Nitrite activates the transcription of the *Pseudomonas aeruginosa* nitrite reductase and cytochrome *c*-551 operon under anaerobic conditions (FEBS 10078) *H. Arai, Y. Igarashi, T. Kodama* 227

Induction of heat-shock proteins by glutamine: The 'feeding effect' (FEBS 10079) *J.-W. Cai, C.S. Hughes, J.-W. Shen, J.R. Subjeck* 229

Cell-induced potentiation of the plasminogen activation system is abolished by a monoclonal antibody that recognizes the NH_2-terminal domain of the urokinase receptor (FEBS 10081) *E. Rønne, N. Behrendt, V. Ellis, M. Ploug, K. Danø, G. Høyer-Hansen* 233

Characterization of the interaction of doxorubicin with (poly)-phosphoinositides in model systems: Evidence for specific interaction with phosphatidylinositol-monophosphate and -diphosphate (FEBS 10083) *F.A. de Wolf, R.A. Demel, D. Bets, C. van Kats, B. de Kruijff* 237

Affinity of integrin $\alpha_1\beta_1$ from liver sinusoidal membranes for type IV collagen (FEBS 10082) *S.C. Stamatoglou, S. Bawumia, S. Johansson, E. Forsberg, R.C. Hughes* 241

Significant correlations between atmospheric spectra according to Baumer and the in vitro incorporation of [^{3}H]thymidine into the nuclear DNA of C6-glioma cells (FEBS 10084) *S. Vogl, G. Hoffmann, B. Stöpfel, H. Baumer, O. Kempski, G. Ruhenstroth-Bauer* 244

Errata and Corrigenda 247

Author Index to Volume 288 248

Contents to Volume 288 252